

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Killinger 03 September 2004  
Patent No.: 7,000,769 Group Art Unit: 3728  
Issue Date: February 21, 2006 Examiner: Jila M. Mohandesi  
For: Child Resistant Blister Packages Utilizing Walled Structures Enclosing Medicament  
Therein

REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR 1.322

Commissioner for Patents:

We respectfully request that a Certificate of Correction under the seal of the Patent and Trademark Office be issued to correct the errors specified in the attached form. The correction is necessary because portions of the patent are made ambiguous or incorrect by the errors present.

These errors appear to be on the part of the Patent and Trademark Office since it is not present in applicant's file copy of the application.

The Commissioner is hereby authorized to charge any fees required or credit any overpayment to Deposit Account No. 07-1392.

Respectfully submitted,

/Robert J. Smith/  
Robert J. Smith  
Attorney for Applicants  
Registration No. 40,820

Date: April 11, 2008  
GLAXOSMITHKLINE  
Corporate Intellectual Property  
P.O. Box 13398  
Research Triangle Park, NC 27709  
Phone (919) 483-9616  
Facsimile (919) 483-7988

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

**PATENT NO : 7,000,769**

**DATED : February 21, 2006**

**INVENTOR(S) : Fred Mieras Killinger**

It is certified that errors appear in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

In column 9, line 25: "28" should be "29"

MAILING ADDRESS OF SENDER:

PO Box 13398

Research Triangle Park, NC 27709

**PATENT NO: 7,000,769**

No. of additional copies: \_